



Simba 30

Engine

Engine Model	Mitsubishi Engine
No of Cylinder	3
Displacement (cc)	1318
Engine Type	Naturally Aspirated
Engine Power	29 (21.62 kW)
Max. Torque (Nm)	82
Rated RPM	2800

Air Cleaner

Air Cleaner Type	Dry Type with Clogging sensor
------------------	-------------------------------

Transmission

Clutch	Single
Gear Box	9F+3R, Sliding Mesh, Side Shift

PTO

PTO Type	540 & 1000
----------	------------



Give Feedback

HP (16.55 kW)

Hydraulics

Lift Capacity ADDC 750 kg

Brakes

Brake Type Oil Immersed Disc Brakes

Steering

Information Power Steering

Tyre

Front 180/85D12, 5 in x 12 in (127 mm x 304.8 mm)- Narrow track

Rear 8.3 in x 20 in (210.82 mm x 508 mm), 8 in x 18 in (203.2 mm x 457.2 mm)- Narrow track

Electricals

Information 12 V & 65 Ah

Dimension

Overall Length (mm) 2745

Width (mm) 1040/930 (Narrow Track)

Height (mm) 1435

Wheelbase (mm) 1490

Ground Clearance (mm) 245

Weight (kg) 920



Turning Radius (m)	2.4
---------------------------	-----

Fuel Tank Capacity (L)	20
-------------------------------	----

Additional Features

Information	Adjustable Rim, TT Pipe, Differential Lock, Power Steering, Best in Class Ergonomics, LED Turn Indicator & Plough Lamp, Projector Head Lamp
--------------------	---

Optional Features

Information	28 inch (0.71 m) Track width option
--------------------	-------------------------------------

