



## Simba 20 2WD

## Simba 20 4WD

Engine		
Engine Model	NA	NA
No of Cylinder	1	1
Displacement (cc)	947.4	947.4
Engine Type	Naturally Aspirated	Naturally Aspirated
Engine Power	17 HP (12.67 kW)	17 HP (12.67 kW)
Max. Torque (Nm)	63	63
Rated RPM	2200	2200
Air Cleaner		
Air Cleaner Type	Oil bath with Pre-Cleaner	Oil bath with Pre-Cleaner
Transmission		
Clutch	Single	Single
Gear Box	9F+3R, Sliding Mesh, Side Shift	9F+3R, Sliding Mesh, Side Shift
PTO		
PTO Type	540 & 1000	540 & 1000
PTO P	13.4 HP (9.99 kW)	13.4 HP (9.99 kW)

Hydraulics		
Lift Capacity	ADDC 750 kg	ADDC 750 kg
Brakes		
Brake Type	Oil Immersed Disc Brakes	Oil Immersed Disc Brakes
Steering		
Information	Mechanical	Mechanical
Tyre		
Front	5 in x 12 in (127 mm x 304.8 mm) - Narrow track 5.25 in x 14 in (133.35 mm x 355.6 mm)	5 in x 12 in (127 mm x 304.8 mm)
Rear	8 in x 18 in (203.2 mm x 457.2 mm) - Narrow track 8.3 in x 20 in (210.82 mm x 508 mm)	8 in x 18 in (203.2 mm x 457.2 mm)
Electricals		
Information	12 V & 65 Ah	12 V & 65 Ah
Dimension		
Overall Length (mm)	2730	2730
Width (mm)	1020	950
Height (mm)	1450	1450
Wheelbase (mm)	1490	1440
Ground Clearance (mm)	245	245
Weight (kg)	850	883

<b>Turning Radius (m)</b>	2.4	2.7
<b>Fuel Tank Capacity (L)</b>	20	20
<b>Additional Features</b>		
<b>Information</b>	Adjustable Rim, TT Pipe, Best in Class Ergonomics, Projector Head Lamp	Adjustable Rim, TT Pipe, Best in Class Ergonomics, Projector Head Lamp
<b>Optional Features</b>		
<b>Information</b>	28 inch (0.71 m) Track width option	28 inch (0.71 m) Track width option

